
camper's stoves

96 96L

- roarer burner
- 96 in cardboard carton
- polished brass tank
- 96 L in coloured sheet-steel box
- collapsible



Primus No. 96L has always been one of the most popular camping stoves. Small in weight and size, it nevertheless gives sufficient heat for quick and efficient camp cooking. The roarer burner is simple, reliable and long-wearing, consisting of a vaporizing tube of nickeled silver, burner head and top plate. The stove is quickly assembled or re-packed in its box. A reserve lid fits into the burner hole when the stove is dismantled so that fuel can be carried in the tank without risk of leakage. The draughtshield ensures proper pre-heating even in bad weather.

Primus No. 96 is the same stove but in a cardboard carton.

Stove No. 96 L is supplied with one packet of cleaning needles, draughtshield, spirit can and spanner.

Stove No. 96 is supplied with one packet of cleaning needles and

- Easily assembled
- Fuel carried in tank
- Vaporizing tube of nickeled silver

Primus No.	96	96L
Total capacity of tank, pints	1/2	1/2
Suitable filling (3/4 of total capacity) will last, hours	2*	2*
Will boil one quart of water in minutes	6-8*	6-8*
Height, mounted, ins.	6 ¹ / ₈	6 ¹ / ₈
Weight, lbs.**	1	1 ⁵ /8
Size of sheet-steel box, ins.	-	$5^3/4 \times 4^1/2 \times 2^1/2$

^{*}depending on pressure **complete excl. cardboard box




AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN


Blow Lamps for Kerosene

Blow Lamps for Gasoline

Incandescent Lanterns

96 96_L







Description	Part No.
Burner head	4017
Burner plate	4018
Vaporizing tube	4015
Gauze	4020
Washerforvaporizingtube	4016
Spirit cup	4014
Tank lid	4032
Washer	4335
Reserve lid	4023
Pump rod complete	4891
Piston complete	4323
Leather	4328
Nut	4365
Pump handle	4860
Pump cap	4318
Pump valve complete	4373
Washer	5381
Spring	4377
Cone with washer	4383
Cleaning needle	4606
Leg	4021

PRIMU

camper's stoves

210 210_L

kerosene paraffin

• roarer burner

• 210 - in cardboard carton

• polished brass tank

• 210 L – in coloured sheet-steel box

• collapsible



Primus No. 210L is a popular size stove for motoring, camping, etc. It is easily packed and light in weight. The burner is of the standard roarer type and thoroughly reliable. The stove is quickly assembled or re-packed in its box, and a reserve lid is supplied for fitting into the burner hole. Fuel can then be carried in the tank without risk of leakage. The draughtshield ensures proper pre-heating, even under difficult weather conditions.

Primus No. 210 is the same stove but in a card-board carton.

Stove No. $210\,\mathrm{L}$ is supplied with one packet of cleaning needles, draughtshield and spirit can.

Stove No. 210 is supplied with one packet of cleaning needles.

Primus No.	210	210 L
Total capacity of tank, pints	1	1
Suitable filling (3/4 of total capacity) will last, hours	2-21/3*	2-2 ¹ / ₃ *
Will boil one quart of water in minutes	3-5*	3-5*
Height, mounted, ins.	71/4	71/4
Weight, Ibs.**	11/2	23/16
Size of sheet-steel box, ins.	-	$6^3/4 \times 5^1/4 \times 3^1/2$

^{*}depending on pressure **complete excl. cardboard box



AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN

Printed in Sweden · No. 532 5510




AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN

Blow Lamps for Kerosene

Blow Lamps for Gasoline

Incandescent Lanterns

210L



Description	Part No.
Burner	4127
Nipple	4390
Washer	4338
lame ring	4168
Spirit cup	4235
Burner connection tube	4218
_ighter	4270
Tank lid	4032
Washer	4335
Reserve lid	4311
Washer	4331
Pump rod complete	4891
Piston complete	4323
Leather	4328
Nut	4365
Pump handle	4321
Pump cap	4318
Pump valve complete	4373
Washer	5381
Spring	4377
Cone with washer	4383
Cleaning needle	4605
_eg	4561

camper's stoves

Blow Lamps

Kerosene

Blow Lamps for Gasoline

Incandescent Lanterns

petrol gasoline

o roarer burner

• polished brass tank

● 71 L – in an aluminium bronzed sheet-steel box

● 71 E – in an aluminium container and with aluminium cooking utensils

> Take minimum of space Adjustable flame No pre-heating spirit required



PRIMUS No. 71 E is supplied with the same stove as 71L in a combined cooking grid-windshield. It also has an aluminium stewpan, frypan, and a loose handle to go with them, all of which pack into the stewpan and are held together by the carrying strap supplied.

Primus No. 71L is fitted with a shut-off which regulates the flame and also prevents fuel leakage. It is preheated with its ordinary fuel so that no methylated spirit (alcohol) is required. The tank lid also acts as a safety valve. The box is of sheet-steel, aluminium bronze finished to protect it from rust. It serves both as cooking grid and windshield.

Each stove is supplied with one packet of cleaning needles.

Primus No.	71 L	71 E
Total capacity of tank, pints	1/2	1/2
Suitable filling (3/4 of total capacity) will last, hours Will boil 1 pint of	11/2*	11/2*
water in minutes	4-5*	4-5*
Height, mounted, ins.	51/2	51/2
Weight, Ibs.**	11/4	13/4
Size of sheet-steel box, ins.	$5^{3}/4 \times 3^{3}/4 \times 3^{3}/4$	_

*depending on pressure **complete excl. cardboard box




AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN

Printed in Sweden · No. 533 5510

Safety valve in tank lid

PRIMUS No. 71L

AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN



Description	Part No.
Burner head	4063
Burner plate	4064
Vaporizing tube complete	4060
Nipple	4390
Washer	4102
Stuffing box screw	4071
Valve spindle	4061
Wick	4074
Regulating spanner with chain	4062
Tank lid	4103*
Washer	4469
Screw	5805
Spring	4104
Cone with washer	5851
Cleaning needle	4605



	E	
		Γ
cription	Part No.	_
rner head	4063	
urner plate	4064	
porizing tube complete	4060	
lipple	4390	
Vasher	4102	
tuffing box screw	4071	
alve spindle	4061	
Vick	4074	
gulating spanner with chain	4062	
nk lid	4103*	
Vasher	4469	
crew	5805	
pring	4104	
Cone with washer	5851	
eaning needle	4605	L
fety valve		_
		L
		Г
		-
		- 1
		Г
		-
		L
		Г
		L
		Γ

Blow Lamps and Brazing Lamps for Kerosene (Paraffin)

Blow Lamps Kerosene

Blow Lamps

Lanterns

Printed in Sweden · No. 534 5510

PRIMUS

blow lamps

630631

- inclined burner
- polished brass tank



Primus Nos. 630 and 631 are popular because of their simple construction, reliability and easy maintenance. The efficient burner is suitable for most heating and soldering jobs, paint burning, etc.

Primus No. 630 is fitted with a fixed, tinned handle and No. 631 has a folding handle, both of which remain cool in use.

Each lamp is supplied with one packet of cleaning needles.

Primus No.	630,63
Total capacity of tank, pints	1/2
Consumption per hour, pints	3/8*
Length of flame, ins.	7*
Diameter of bottom, ins.	31/8
Inner diameter	
of burner tube, ins.	9/16
Height, ins.	61/2
Weight, Ibs.**	15/16***

*at normal pressure ** excl. cardboard box *** No. 631 weight lbs. $1^{1}/_{2}$



AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN


Blow Lamps for Gasoline

Incandescent Lanterns

PRIMUS

spare parts

632633



Description	Part No.
Burner	5149
Nipple	5396
Flame tube	5202
Burner strap	5531
Nut for burner strap	5389
Tank lid	4374
Washer	4334
Air valve screw	4309
Pump rod complete	4894
Piston complete	4997
Leather	4459
Nut	4365
Pump handle	4322
Pump cap	4319
Pump valve complete	4373
Washer	5381
Spring	4377
Cone with washer	4383
Cleaning needle	4605



• polished brass tank

brazed

dependable

blow lamps

632

kerosene paraffin

633

Super —

- entirely new styling



- can be preheated with kerosene
- extra-short preheating time
- ideal grip

The new PRIMUS 632 has been designed in collaboration with the tradesmen who are to use it. The placing of the spirit cup immediately beneath the gas passages of the burner reduces the preheating time to half the normal. Moreover, the fuel of the lamp itself can be used for preheating. The up-to-date shape of the handle makes the lamp easy and comfortable to work with. The powerful pump is located in the handle, which makes for greater ease of handling in confined spaces.

The 633 super is the same model with a larger tank. A packet of cleaning needles is supplied with every blowlamp.

632 super	633 super
1	13/4
3/4*	3/4*
10*	10*
3/4	³ /4
2**	23/8**
81/4	81/4
33/4	41/2
	1 3/4* 10* 3/4 2** 81/4

* at normal pressure

** excl. cardboard box



AB BAHCO . P. O. BOX 245 . STOCKHOLM . SWEDEN

SV. J. MUS

AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN

4459

4365 4997


Printed in Sweden · No 542 550

Blow Lamps for Gasoline

Incandescent Lanterns



632 633 super









377	4383	4365	4997	4459	
<u></u>	PRIMUS	10			

Description	Part No.
Burner	5149
Nipple	5396
Flame tube	5144
Spirit cup	5145
Phillips screw with washer	5146
Handle	5147
Filler cap	4374
Washer	4334
Air valve screw	4309
Pump, complete	5289
Pump rod, complete	4894
Pump piston, complete	4997
Pump leather	4459
Pump-rod nut	4365
Pump knob	4322
Pump spring	5142
Pump cap	4319
Pump valve, compl.	4373
Washer	5381
Valve spring	4377
Rubber cone	4383
Cleaning needle	5609



A handy loop that is easy to hook into two holes in the upper part of the lamp, enabling it to be hung up, is available as an extra accessory, No. 5539.



AB BAHCO · P. O. BOX 245 · STOCKHOLM · SWEDEN

Printed in Sweden • No 547 En 5906

brazing lamps

653 655 657

kerosene paraffin

horizontal burner

• polished brass tank



Automatic self-cleaning device

Three new Primus lamps with a powerful concentrated flame for large heating, soldering and brazing jobs. The burner has an built-in automatic cleaning device something new for this type of lamp. The tank has brazed joints and a wearing rim on the base. On both the larger lamps, Nos. 655 and 657, there is a plugged hole in the tank to take an Instant Lighter. The pump is fast and efficient and is equipped with a ribbed plastic handle for good, cool grip.

Primus No.	653	655	657
Total capacity of tank, pints	1 1/3	2²/3	51/4
Consumption per hour by normal pressure, pints	1 ¹ / ₃	21/9	3 1/2
Length of flame, ins.	97/8	113/4	133/4
Diameter of bottom, ins.	35/8	43/4	51/2
Inner diameter of burner			
tube, ins.	13/16	11/8	11/2
Height, ins.	97/8	117/16	151/4
Weight without carbord box, lbs.	3 ¹ / ₈	4 ³ /8	89/16



AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN


Blow Lamps for Gasoline

Lanterns

PRIMUS

spare parts

653 655 657



		655	
Description	Part No.		
Burner, complete	5171	5172	5173
Burner spiral with nipple *	5603	5604	5605
Flame ring	5606	5607	5608
Burner tube	5610	5611	5617
Nipple	5618	5619	5620
Draughtshield	5621	5622	5623
Screw for draughtshield	5006	5006	5006
Burner valve spindel	5624	5625	5626
Knob	5008	5008	5008
Washer for knob	5009	5009	5009
Locking washer	5010	5010	5010
Stop nut	5011	5011	5011
Stuffing box screw	5012	5012	5012
Washer	5013	, 5013	5013
Cleaning needle with rack	5627	5628	5629
Spirit cup	5015	5015	5042
Tank lid (safety valve)	5016	5035	5035
Washer	4469	4470	4470
Pump rod complete	5018	5036	5053
Piston complete	4997	4997	5998
Leather	4459	4459	5786
Nut	4365	4365	4365
Spring for pump rod	5019	5019	5019
Pump handle	4322	5031	5046
Pump cap	4319	4319	5047
Pump valve socket	5020	5020	5020
Spring	4377	4377	4377
Cone with washer	4383	4383	4383
Washer for pump	5021	5021	5048



Instant lighter
No. 5032 for Primus No. 655
No. 5050 for Primus No. 657

Spare parts:
No.
Nipple 5023
Washer for box 5024

* This part comprises also burner valve spindle



AB BAHCO · P.O. BOX 245 · STOCKHOLM · SWEDEN

Printed in Sweden · 546 5611

Blow Lamps,
Brazing Lamps and
Soldering Irons for
Gasoline (Petrol)

Blow Lamps for Gasoline

Incandescent Lanterns